

MERCURY

ALUMINIUM

ANTIBIOTICS

ANIMAL &
BLOOD TISSUE

Hidden Dangers in VACCINES

CELLS FROM
ABORTED FETUS

FORMALDEHYDE

PHENOL

Hidden Dangers of Vaccines
[FACEBOOK.com/BhaiRajivDixit](https://www.facebook.com/BhaiRajivDixit)

CAP

GUIDE

HIDDEN DANGERS IN VACCINES

A CAP Guide

Consumers Association of Penang

Hidden Dangers of Vaccines
[FACEBOOK.com/BhaiRajivDixit](https://www.facebook.com/BhaiRajivDixit)

What is Vaccination


VACCINATION has been the mainstay of public health care for a long time. As a result, mention infectious diseases and vaccination comes to mind. If you're wondering what is vaccination, very simply, it is a "health injection" that doctors (even the health authorities) say are necessary to give us immunity to a disease before it has a chance to strike.

The SECRET INGREDIENTS in Vaccines

MOST of us have heard of vaccines. But what we usually know is only the medically promoted side of vaccines — we understand them as jabs given in childhood to prevent certain diseases (eg: measles, polio, etc) and in adulthood for extra precaution, and during certain disease outbreaks (eg: hepatitis, flu, etc).

DO YOU KNOW what's in vaccines?

Here's the secret and rarely trumpeted, stomach-turning truth: Vaccines are filthy substances grown on animal organs,



The aim of vaccination is to mimic the process of naturally occurring infection through artificial means.

But what exactly are vaccines? Vaccines are actually an injection of a large variety of different kinds of poisons deep into the body. If you expect them to be sterile or germ-free, expect to be shocked!

How Vaccines are Made

Vaccines are made from the same germs (or parts of them) that cause disease — for example, measles vaccine is made from measles virus, and *Haemophilus influenzae* type B (Hib) vaccine is made from parts of the Hib bacteria.

That's small horror. The bigger horror lies in vaccine production, where anything goes ... First, the disease

cancer cells, aborted fetuses, and other toxic additives and heavy metals.
FIND OUT what you've never been told about the horrifying ingredients in vaccines.

What You Should Know About Vaccines

WHAT you are about to read may turn you off and tune you in to the hidden, but real and serious threats posed by vaccines — modern medicine's "greatest triumph" that has spelt many innocent people's health downfall.

Be prepared to be dismayed, and disgusted by what you will find, as we take you on an exclusive in-the-syringe dip into the murky contents of vaccines.

Ready for the probe? Read on.

What's in Vaccines — a Partial List

Vaccines contain 3 groups of substances:

1. **MICROORGANISMS** (either bacteria or viruses) thought to be causing certain infectious diseases, and which the vaccine is supposed to prevent. These are whole-cell proteins or just the broken-cell protein envelopes, called antigens.
2. **CHEMICAL SUBSTANCES** that enhance the immune response to the vaccine, called adjuvants.
3. **CHEMICAL SUBSTANCES** which act as preservatives and tissue fixatives, which stop any further chemical reactions and putrefaction (decomposition or multiplication) of the live or killed biological constituents of the vaccine.

According to the US Centers for Disease Control and Prevention (CDC), additives used in the production of vaccines may include:

germ (a toxic bacterium or a live virus) is acquired. There are 2 types of vaccines — "live" and "dead". To make a "live" vaccine, the "live" virus is weakened (or attenuated) by passing the virus through animal tissue several times (called a serial passage), sometimes up to 50 times, to reduce its potency.

For example, measles virus is passed through chick embryos, polio virus through monkey kidneys, and the rubella virus through human diploid

cells (the dissected organs of an aborted fetus!).

The weakened germ must then be strengthened with adjuvants (antibody-boosters) and stabilisers (to help the vaccine maintain its "effectiveness" during storage).

This is done by adding drugs, antibiotics, and toxic chemicals to the concoction: neomycin, streptomycin, sodium chloride, sodium hydroxide, aluminium hydroxide, aluminium hydrochloride, sorbitol, hydrolised

- **PRESERVATIVES** (eg: **thimerosal** and **2-phenoxy ethanol**) — added to slow or stop the growth of bacteria or fungi resulting from inadvertent contamination, especially as might occur with vaccine vials intended for multiple uses or doses.
- **STABILISERS** [eg: lactose or monosodium glutamate (MSG)] — added to stabilise the vaccine formulation against a variety of conditions, such as temperature variations or a freeze-drying process.
- **ADJUVANTS** (eg: aluminium hydroxide and aluminium phosphate — added to increase the ability of the vaccine to trigger, enhance, or prolong an immune response.
- **ANTIBIOTICS** (eg: neomycin and streptomycin) — added to prevent the potentially harmful growth of germs.
- **OTHER SUBSTANCES** — Vaccines may also include a suspending fluid such as sterile water or saline; and may also contain small

amounts of residual materials from the manufacturing process, such as cell or bacterial proteins, egg proteins (from vaccines that are produced in eggs), DNA or RNA, formaldehyde from a "toxoiding" process (where bacterial toxins are made harmless), etc.

According to vaccine manufacturers themselves, other ingredients that are used to make vaccines are:

- **ethylene glycol** (antifreeze)
- **phenol**, also known as carbolic acid (this is used as a disinfectant, dye)
- **aluminium**, which is associated with Alzheimer's disease and seizures; also cancer producing in laboratory mice (it is used as an additive to promote antibody response)

According to the 1997 *Physicians' Desk Reference*, vaccines contain the following fillers and ingredients:

- **aluminium hydroxide**
- **aluminium phosphate**

gelatin, formaldehyde, and thimerosal (a mercury derivative).

As for "killed" vaccines, they are "inactivated" through heat, radiation or chemicals.

This concoction of live viruses or bacteria, toxic substances and diseased animal matter is what goes into a healthy child's body, or an adult's body, when he or she is vaccinated.

How Some Common Vaccines are Made

IN her book, *The Consumer's Guide to Childhood Vaccines*, Barbara Loe Fisher, co-founder and president of the National Vaccine Information Center (the largest and oldest non-profit, educational organisation in the US dedicated to preventing vaccine injuries and deaths through public education) outlines the

- ammonium sulfate
- amphotericin B
- animal tissues (eg: monkey kidney, chick embryo, chicken egg)
- calf (bovine serum)
- beta-propiolactone
- fetal bovine serum
- formaldehyde
- formalin
- gelatin
- glycerol
- human diploid cells (originating from aborted human fetal tissue)
- hydrolysed gelatin
- monosodium glutamate (MSG)
- neomycin
- neomycin sulfate
- phenol red indicator
- phenoxyethanol (antifreeze)
- potassium diphosphate
- potassium monophosphate

- polymyxin B
- polysorbate 20
- polysorbate 80
- porcine (pig) pancreatic hydrolysate of casein
- residual MRC5 proteins
- sorbitol
- sucrose
- thimerosal (mercury)
- tri(n)butylphosphate
- VERO cells (a continuous line of monkey kidney cells)
- washed sheep red blood cells

According to the US CDC, additives (like the above) are added to vaccines "to enhance immune response, prevent microbial contamination, and to stabilise the vaccine formulation"; and to ensure that they are "potent, sterile and safe".

But are they really?

production processes of the following vaccines, as follows:

- **DPT (Diphtheria, Pertussis and Tetanus) vaccine** (an inactivated bacterial vaccine): "To produce the pertussis vaccine portion of the DPT vaccine, whole B pertussis bacteria are grown ... harvested, inactivated through heat and chemical treatments and suspended in a solution containing such chemicals as potassium phosphate, sodium chloride and thimerosal (mercury), which is

used as a preservative. Aluminum is added as an adjuvant. The pertussis vaccine is then combined with the DT vaccine."

- **DT (Diphtheria and Tetanus) vaccine:**

"The diphtheria and tetanus toxoid are detoxified by use of formaldehyde and diluted with a solution containing such chemicals as sodium phosphate, glycine and thimerosal as a preservative.

Aluminium is added as an adjuvant."

- **DTaP (Diphtheria, Tetanus and Acellular**

3 Safety Issues

The cauldron of chemicals and other questionable substances in vaccines, as detailed above, pose 3 major areas of safety and health concern:

- 1. Highly Toxic.** Practically all of these constituents of vaccines are toxic. In many cases the vaccine additives (stabilisers, neutralisers, carrying agents, and preservatives) are far more toxic than the viral or bacterial component of the vaccines.

Formaldehyde, for example, is a known cancer-causing agent. Thimerosal (used as a mercury disinfectant/preservative) can result in brain injury and autoimmune disease. And the antibiotics, Neomycin and Streptomycin, have caused allergic reactions in some people.

No parent would ever think of giving their child



children formaldehyde (used to embalm corpses), mercury, or aluminium phosphate to eat. Yet

Pertussis) vaccine:

"Unlike the DPT vaccine, the purified acellular or DTaP vaccine does not contain the whole B pertussis bacteria. DTaP vaccine is made by separating out and removing many of the toxins in the whole B pertussis bacteria and only using a few components of the bacteria in the vaccine.

These remaining components, including pertussis toxin, may be detoxified by using formaldehyde.

Thimerosal is usually added as a preservative.

tive and aluminium added as an adjuvant. The acellular pertussis vaccine is then combined with the DT vaccine."

● **MMR (Measles, Mumps and Rubella) vaccine:** "MMR vaccine used in the US is a live virus vaccine. It contains (1) a weakened (partially inactivated) live measles virus ... grown in cell cultures of chick embryo; (2) a weakened live strain of mumps virus grown in cell cultures of chick embryo; and (3) a weakened Wistar RA

these substances are injected directly into the bloodstream when a child is vaccinated.

(See "Dangers of Some Vaccine Ingredients" on page 18 for more details on the dangers.)

2. Questionable Foreign Blood Products.

Animal organ tissue and blood ("cell lines") need to be used to culture the viruses in vaccines. They include rabbit brain tissue, dog kidney tissue, monkey kidney tissue, chicken or duck egg protein, chick embryo, calf serum, pig or horse blood, and cowpox pus. These can be toxic to the body. They can also contain many animal viruses, which can be harmful in humans (see "Dangers of Some Vaccine Ingredients").

Aborted human fetal tissue is also used in some vaccines. The rubella, Hepatitis A, and chickenpox vaccines were developed with the use of human diploid cells (the dissected organs of aborted human fetuses).

In the case of the rubella vaccine, a medical

journal article quoted a doctor (Dr S. Plotkin of Philadelphia) as saying, "This fetus was chosen ... specifically for this purpose. Both parents are known ... still alive and well, and living in Stockholm, presumably. The abortion was done because they felt they had too many children." ("Inactivated Rubella Virus: Production and Biologics Control of Live Attenuated Rubella Virus Vaccines", *Amer J Dis Child*, 1969, Vol 118).

Besides posing ethical concerns, from a health point of view, tissue from another human (not just animals) is still foreign. All foreign proteins do not get filtered through the digestive process or pass through the liver, and thus can be toxic to the body.

"These proteins are ... in a state of decomposition. They are composed of animal cells, and therefore contain animal genetic material. It is possible for the genes in these cells to be picked up by the live, attenuated viruses used in vaccines.

27/3 strain of live attenuated rubella virus grown in human diploid cell (W-38) culture originating from the tissues of a fetus aborted in 1964 after the mother was infected with rubella. There is no preservative. MMR vaccine contains the antibiotic neomycin. Sorbitol and hydrolyzed gelatin are added as stabilizers. The live virus measles vaccine, mumps vaccine and rubella vaccine are also available as single vaccines but most often doctors give these vaccines as the

MMR vaccine unless single antigens are specifically requested."

● **LIVE ORAL POLIO VACCINE (OPV):** "The live oral polio vaccine in the US is a mixture of 3 types of attenuated (weakened or partially inactivated) polio viruses which have been grown in African green monkey kidney cell culture. The cells are then grown in a medium consisting of a salt solution containing amino acids, antibiotics and calf serum. After cell growth, the medium is removed and

"These viruses then implant a foreign alien genetic material from animal tissue cultures into the human genetic system. Undigested proteins in the blood are one of the causes of allergies... These undigested proteins can attack the myelin sheath that protects the nerves, and result in neurological problems," caution Walene James, author of *Immunizations: The Reality Beyond the Myth*.

3. Filthy & Harmful Germs. Vaccines are not sterile. They are developed in 4 different ways, by using:

- live bacteria or viruses that have been altered so that they "cannot cause disease";
- killed bacteria or inactivated viruses;
- toxoids (bacterial toxins that have been made "harmless"); and
- purified parts of bacteria or viruses.

[A]ll viruses, even attenuated (so-called killed) viruses contain RNA and DNA. RNA and DNA are

shed and can be picked up by the cellular organisms in which they are immersed.

These infected cells can lie dormant in tissues throughout the body, and be activated at a later stage, triggering autoimmune phenomena, such as cancer, multiple sclerosis, lupus, allergies, and rheumatoid arthritis.

According to some medical experts, killed bacteria may release toxins as their cell bodies break up. "An example is pertussis vaccine, which contains at least one substance that can be poisonous to brain cells. When the toxin injures the brain, this occurs anywhere from a few hours to a few days after the vaccination," says paediatric neurologist Marcel Kingsbourne MD.

According to the Vaccination Information Service in Australia, mycoplasma (microscopic organisms without rigid cell walls — considered to be the smallest free-living organisms) are also sometimes deliberately included in vaccines as adjuvants (ie to increase the immune system's

replaced with a medium containing the virus but no calf serum. The vaccine contains sorbitol and the antibiotics streptomycin and neomycin."

● **INACTIVATED POLIO VACCINE (IPV):** "The inactivated polio virus vaccine used in the US is a sterile suspension of 3 types of polio virus grown in cultures of VERO cells, a continuous line of African green monkey kidney cells. The viruses are concentrated, purified and made non-infectious by inactiva-

tion with formaldehyde. IPV vaccine contains phenoxyethanol and formaldehyde as preservatives and the antibiotics neomycin, streptomycin and polymyxin. An IPV vaccine using human diploid cell cultures, rather than monkey kidney cell cultures, is used in some other countries."

● **HEPATITIS B vaccine:** "The first hepatitis B virus vaccines developed in the 1970s were made using virus isolated from the blood of human chronic hepatitis

"response" to the vaccine).

Many of these organisms can cause disease — one species is a cause of mycoplasma pneumonia, which is noted to occur in children and young adults.

The human blood is supposed to be, and traditionally was, sterile — ie no bacteria (or other organisms) present in it. With compulsory or "necessary" mass vaccination, this is not the case anymore.

Fears have been raised that this has a weakening effect on the immune system, and can sometimes lead to severe bacterial infections.

Dr Richard Moskowitz, past president of the National Institute of Homeopathy, and a cum laude graduate of Harvard and New York Medical School, says: "Vaccines trick the body so that it will no longer initiate a generalised inflammatory response. They thereby accomplish what the entire immune system seems to have evolved to prevent.



["They place the virus directly into the blood and give it access to the major immune organs and tissues without any obvious way of getting rid of it. These attenuated viruses and virus elements persist in the blood for a long time, perhaps permanently.

"This, in turn, implies a systematic weakening of the ability to mount an effective response, not only to childhood diseases, but to other acute infections as well.]

B carriers. A plasma-derived hepatitis B vaccine was licensed by the US in 1981 and used in high-risk populations in the 1980s until a genetically engineered, recombinant hepatitis B vaccine was developed. Today, hepatitis B recombinant vaccine used in the US is derived from hepatitis B surface antigens produced in yeast cells. A portion of the hepatitis B virus gene is cloned into the yeast (a common baker's yeast) and the vaccine is produced from cultures of this

recombinant yeast strain. The vaccine is treated with formaldehyde and contains 95% hepatitis B virus surface antigen, 4% yeast protein, aluminum hydroxide and thimerosal added as a preservative."

● **VARICELLA ZOSTER (CHICKEN-POX) vaccine:**

"Chickenpox vaccine is made from the Oka/Merck strain of live attenuated (weakened) varicella virus. The virus was initially obtained from a child with natural varicella,

Dangers of Some Vaccine Ingredients

HERE'S a more complete list of health risks posed by some of the major toxic ingredients in vaccines, compiled from various sources, including from the Australian Vaccine Information Service.

- ✓ ● **ALUMINIUM**, ie aluminium hydroxide and aluminium phosphate (additives used to promote antibody response): A cardiovascular blood toxicant, neurotoxicant and respiratory toxicant. Implicated as a cause of brain damage associated with Alzheimer's Disease, dementia, convulsions and comas.

Deposits of aluminium are able to remain as an irritant in tissues and disturb the immune and nervous system for a lifetime.

(Note: In trace amounts, it is not toxic and may

even be beneficial to the body. But a trace amount is extremely minute. The level in vaccines has been reported to be enormously higher, at around 0.5%.)

- **AMMONIUM SULFATE:** A suspected gastrointestinal, liver, nerve, and respiratory system poison

- **AMPHOTERICIN B:** A drug used to treat fungus infections. Side effects include blood clots, blood defects, kidney problems, nausea and fever. When used on the skin, allergic reactions can occur.

- **ANIMAL TISSUES** (eg: monkey kidney, chick embryo, chicken egg, calf serum, rabbit brain tissue): Other than when such protein material is digested (ie consumed and broken down into its component amino acids, etc, before absorption), it is unusable and toxic to the body.

ALL these ingredients — including gelatin, or gelatine (obtained from selected pieces of calf and cattle skins, de-mineralised cattle bones and

introduced into human embryonic lung cell cultures, adapted to and propagated in embryonic guinea pig cell cultures and finally propagated in human diploid cell cultures. The vaccine contains sucrose, phosphate, glutamate and processed gelatin as stabilizers."

- **SMALLPOX vaccine** (Although this is no longer a required vaccination, it is still being used for research on AIDS and the new genetically engineered recombinant vaccines.):

"... A young calf has

Hidden Dangers of Vaccines
FACEBOOK.com/BhaiRajivDixit

his belly shaved. Many slashes are made in the skin. A prior batch of smallpox vaccine is dropped into the slashes and allowed to fester over a period of days. During this period of time, the calf stands in a headstall so that he can't lick his belly. The calf is led out of the stock to a table where he is strapped down. His belly scabs and pus are scraped off and ground into a powder. The powder is the next batch of smallpox vaccine. Besides dried pus and scabs in the small-

pork skin) and casein (a milk protein) — are large foreign proteins that are deliberately included in vaccines to help get an immune "response".

When injected, proteins are toxic to the body. Hence the immune system "response" — it is stressed by this invasion, which results in sensitization (ie it becomes sensitive to these substances, not immune to them).

These foreign proteins can trigger numerous allergic and inflammatory reactions and can produce anaphylactic shock in susceptible individuals.

Foreign proteins can also contain many animal viruses, some of which can be particularly alien to the human body. The most frequently documented and publicised example is the monkey virus SV40. This is harmless in monkeys, but injected into a human and it can cause cancer — in the brain (tumours), bone (eg: multiple myeloma), lungs (mesothelioma) and lymphoid tissue (lymphoma).

It has appeared in people born in the last 20 years (*The Journal of Infectious Diseases*, September 1999), long after the manufacturer claimed to have "cleaned up" the polio vaccine in which it was found.

● **BETA-PROPIOLACTONE:** Known to cause cancer. Suspected gastrointestinal, liver, respiratory, skin, and sense organ poison.

● **CASEIN:** A tenacious glue — the same glue that is used to hold a label to a bottle of beer. Though made from milk, in the body it is considered a toxic foreign protein.

● **FETAL BOVINE SERUM:** Blood taken from calves still inside their mothers. This blood product is commonly used as a laboratory nutrient to feed various tissue cell cultures. It commonly contains animal viruses.

In October 1988, a letter by J. Grote, in the *Journal of the Royal (London) Society of Medicine*, revealed that the bovine visna virus (which looks similar to HIV) is a known contaminant.

pox vaccine, incidental viruses, which the calf was carrying, can be contained in these scabs and pus." (Walene James, author of *Immunizations: The Reality Beyond the Myth*)

✓ How Our Body Responds to Vaccines

When the above vaccine ingredients enter a child's bloodstream, the child's body will take immediate action to eliminate these poisons either through the normal organs of elimination, or through acute reactions such as fever, swelling or skin rashes.

If these reactions are not suppressed

nant of fetal calf serum used in vaccine production and virus-like particles have been detected in vaccines certified for clinical use.

"It seems absolutely vital that all vaccines are screened for HIV prior to use, and that bovine visna virus is further investigated as to its relationship to HIV and its possible role in progression towards AIDS," Grote warned.

✓ ● **FORMALDEHYDE:** This is a disinfectant and a known cancer-causing substance. It is more hazardous than most chemicals in 5 out of 12 ranking systems, on at least 8 federal regulatory lists, and is ranked as one of the most hazardous compounds (worst 10%) to ecosystem and human health (Environmental Defense Fund US).

● **FORMALIN:** A derivative of formaldehyde, the culture as well as serve as an embalming agent. Other uses: as a working solution for tissue fixation, or as a preservative-holding solution for fixed tissues or organ specimens in pathological laboratories. It kills unwanted viruses that might be found



through drugs, it is possible for the child's body to successfully eliminate the vaccine poisons, hence preventing any future long-term damage.

However, should the child have insufficient vitality to mount an eliminative reaction, or should the eliminative reaction (fever, swelling, skin rash) be suppressed with drugs, the vaccine poisons will be retained within the body's tissues.

The retention of these poisons can trigger, or contribute to the

development of illnesses such as juvenile diabetes, asthma, neurological disorders, leukaemia, and even cot deaths in susceptible infants.

Hundreds of reports have documented long-term adverse reactions linked to vaccines that include cases of meningitis, inflammatory bowel disease, autism, chronic encephalitis, multiple sclerosis, cancer and rheumatoid arthritis.

Some vaccines have also been known to cause serious immedi-

✓ ● **GELATIN** (used as a stabilising agent in some live vaccines): This is an animal protein substance made from collagen obtained by boiling animal skins, hides, bones, and other tissues after pretreatment with alkali or acid. It can cause allergies in some people.

✓ ● **HUMAN DIPLOID CELLS**: These originate from human aborted fetal tissue.

✓ ● **MONOSODIUM GLUTAMATE** (MSG) Causes brain lesion in young laboratory animals and endocrine disturbances (eg: obesity and reproductive disorders).

Also, some people's bodies cannot tolerate MSG and they may react with a burning sensation or numbness in the back of the neck, arm and back; or have chest pain, headache, nausea, rapid heartbeat, or difficulty breathing.

According to the US Food and Drug Administration (FDA), "Injections of glutamate in laboratory animals have resulted in damage to nerve cells in the brain."

● **NEOMYCIN**: This is an antibacterial drug that is used to suppress gastrointestinal bacteria before surgery to avoid infection. This antibiotic interferes with the absorption of Vitamin B6. Lack of this vitamin can cause a rare form of epilepsy, and can cause children to become mentally retarded. Vitamin B6 is the major vitamin for processing amino acids (the building blocks of all proteins and a few hormones).

● **PHENOL**, also known as carbolic acid: Phenol is a highly poisonous, caustic substance derived from coal tar and used in the production of disinfectants, dyes, pharmaceuticals, plastics, germicides, and preservatives.

Exposure may result in systemic poisoning, weakness, sweating, headache, shock, excitement, kidney damage, convulsions, cardiac or kidney failure, and death. Repeated exposure may also cause vomiting and mental disturbances.

According to Catherine Diodati, MA in the

ate side effects. On 12 July 2002, Reuters News Service reported: "Nearly 1,000 school-children were rushed to ... hospital after being vaccinated for encephalitis in north-east China ... The students, aged between 7 and 16, suffered from fevers, nausea, vomiting, and in a few cases, heart infections soon after being vaccinated ... 'A total of 8,300 students took the vaccine for encephalitis B and now more than 900 are in ... hospital.' ... A doctor at a local hospital

said some of the students were seriously ill."

VACCINE INJURIES

ACCORDING to an independent analysis of data generated by the government-operated Vaccine Adverse Event Reporting System (VAERS) in the US, in 1996 there were 872 serious adverse events reported to VAERS in children under 14 who had been injected with Hepatitis B vaccine.

book, *Immunization: History, Ethics, Law and Health*, phenol is considered to be corrosive to the skin and it is known to be a protoplasmic poison (ie toxic to all cells).

"Tests indicate that phenol actually inhibits phagocytic activity, which means that it actually serves to **debilitate**, rather than stimulate, the immune response. (Phagocytes serve as the body's first line of defence against antigenic activity — they engulf and digest antigens and they cause other elements of the immune system to become activated.)

"Since vaccines are meant to **stimulate** an immune response, the use of **phagocyte-inhibiting** phenols contradicts the basic rationale for using vaccines.

"Furthermore, harm cannot possibly be avoided when it is understood that at the same time that pathogens are being introduced into the body, phenols are acting to inhibit an appropriate immune response."

● **PHENOXYETHANOL** (antifreeze): This is a type of alcohol. It serves as an antiseptic to inhibit the growth and reproduction of microorganisms in vaccines. Alcohols are highly toxic and can cause a myriad of problems including: general malaise, blindness, acidosis (causing shallow respiration), hypoglycaemia (low blood sugar), hyperlipidaemia (eg: elevated levels of fats, triglycerides, and cholesterol in the blood), central nervous system depression, gastrointestinal damage, coma and death.

● **POLYMYXIN B**: An antibiotic, whose allergic reactions can range from mild to life-threatening.

● **POLYSORBATE 20** and **POLYSORBATE 80**: Skin or sense organ toxicants. Known to cause cancer in animals.

● **SORBITOL**: A sugar substitute — or more specifically, an industrial sweet alcohol made from hydrogen and commercial glucose, extracted from corn sugar — which has been linked to irritable bowel syndrome

The children were either taken to a hospital emergency room, had life-threatening health problems, were hospitalised, or were left disabled following vaccination. 48 children were reported to have died after they were injected with Hepatitis B vaccine in 1996 (13 of them had received the vaccine only before their deaths).

The medical literature is also full of citations linking vaccines to many diseases. Vaccines have been linked with brain dam-

age, lowered IQ, Attention Deficit Disorder, learning disabilities, and autism. In fact, neurological disorders are among the most listed and studied vaccine complications in the medical literature.

Vaccines against mumps and measles (childhood diseases) for example, have caused brain damage and autism, as well as cancer, diabetes, leukaemia, and even death (Sudden Infant Death Syndrome).

- A 1992 study published in *The American*

✓ ● **THIMEROSAL**, also known as sodium ethylmercurithiosalicylate or ethylmercury (MERCURY): This is a mercury-based preservative. Mercury is the second most poisonous element known to man (next to uranium and its derivatives). It is a neurotoxin that can injure the brain and nervous system and can lead to autoimmune diseases.

(See also "Mercury and Autism" on page 32.)

- **TRI(N)BUTYLPHOSPHATE**: Suspected kidney and nerve poison

- **"VERO" CELLS** — a cell line derived from the African green (Vervet) monkey kidney

- **ETHYLENE GLYCOL** (antifreeze): Used in solvents, brake fluids, paints and lacquers, and glass cleaners

12 Reasons to Be Concerned

BESIDES the issue of toxic additives, heavy metals, and human/animal viruses and bacteria, vaccines are also controversial for many other reasons. Here are 12 other major areas of concern with vaccines.

1. Doctors cannot guarantee the safety of vaccines or that they will even work.

- WHEN vaccines are described as safe, safety is a relative term that cannot be clearly defined, says Dr Harris Coulter, an expert on the pertussis vaccine, co-author of *DPT: A Shot in the Dark* and author of *Vaccinations, Social Violence, and Criminality*.

"They say that the vaccine is safe because only one in x number of hundreds of thousands of children gets a violent reaction. The number

Journal of Epidemiology shows that children die at a rate 8 times greater than normal within 3 days of getting a DPT vaccination.

- ✓ ● A preliminary study by the US CDC found children who received the Hib vaccine to be 5 times more likely to contract the disease than children who had not received the vaccine.

- ✓ ● In the *New England Journal of Medicine* (July 1994), a study found that over 80% of children under 5 years of age who had con-

tracted whooping cough had been fully vaccinated.

● In 1977 Dr Jonas Salk (inventor of the Salk polio vaccine) testified with other scientists that 87% of the polio cases which occurred in the US since 1970 were the by-product of the polio vaccine.

Another polio vaccine, the Sabin oral polio vaccine (OPV) is the only known cause of polio in the US today.

The above evidence makes vaccination highly questionable.

changes from time to time. Sometimes it's one in 100,000, sometimes one in 300,000, and sometimes one in 500,000 vaccinated children.

"You can question if that really means safe. For the child who is damaged, that is not safe at all."

Coulter brings up another important issue concerning safety: There are a variety of degrees of damage that can result from vaccines, and we shouldn't be concerned only with the most extreme.

As he explains, "in any group of people who are exposed to a stress factor — and a vaccine would have to be called a stress factor — the reactions to that stress will vary from nothing at all

to a very serious reaction, maybe even death.

"What the scientists who are concerned with vaccinations tend to leave out of consideration are the people in the middle. One in 100,000 is very seriously affected; they get cerebral palsy or mental retardation or maybe they die. We know that all those things happen. But what about the ones in the middle?"

● DO vaccines work? Carefully selected epidemiological studies are one of the justifications for vaccination programmes. However, many of these may not be legitimate sources from which to draw conclusions about vaccine effectiveness, says the anti-vaccine group, New Yorkers for Vaccine

The facts reveal that vaccines have not improved the health of children.

According to the *San Jose Mercury News* (6 July 2002), "One of every dozen US children and teenagers — 5.2 million — has a physical or mental disability, according to new figures from the 2000 Census that reflect sharp growth in the nation's young handicapped population over the past decade ... Data ... have also shown a rapid increase in the number and rate of

childhood handicaps." In the US today, the incidence of childhood asthma, diabetes and autoimmune diseases has doubled during the past 20 years, Attention Deficit Disorder has tripled; and autism has increased 600%.

MERCURY & AUTISM

THE vaccine preservative thimerosal is composed of nearly 50% mercury, which is a known neurotoxin especially harmful to fetus-

Information and Choice (NYVIC).

"For example, if 100 people are vaccinated and 5 contract the disease, the vaccine is declared to be 95% effective. But if only 10 of the 100 were actually exposed to the disease, then the vaccine was really only 50% effective.

"Since no one is willing to directly expose the entire population to disease — even a fully vaccinated one — vaccine effectiveness rates may indicate a vaccine's true effectiveness."

✓ **2. Vaccines have never been adequately tested for safety.**

● THE gold standard of medical science is the double-blind crossover placebo study. In Australia, no bloodstream is an unnatural act, besides being alone, it is reported that this test has never been performed on any licensed vaccine there.

● IN January 2000, the *Journal of Adverse Drug Reactions* reported that the MMR vaccine was not adequately tested and should not have been licensed.

● IN October 1999, a vaccine against "rotavirus" infection (which causes most cases of childhood diarrhoea) was pulled off the US market. One year after the RotaShield vaccine was inoculated into over 1 million infants, it was found to increase the risk of bowel obstruction.

Almost 100 cases of bowel obstruction were officially reported and 20 infants developed bowel obstructions within 1-2 two weeks of receiving the vaccine.

✓ **3. Vaccination is based on unsound principles, and is thus a questionable science.**

● INTRODUCING antigens directly into the bloodstream is an unnatural act, besides being dangerous. Jamie Murphy, author of *What Every Parent Should Know About Immunization* explains:

"When you inject a vaccine into the body, you're actually performing an unnatural act because you are injecting directly into the blood

es, infants and children.

It has also been linked to a range of symptoms collectively known as Autism Spectrum Disorders. These include severe autism, in which children are socially withdrawn, do not speak and exhibit bizarre, repetitive, sometimes aggressive behaviours.

They also include Asperger's Syndrome, a high-functioning form of autism, Pervasive Developmental Disorder (PDD), Attention Deficit

Disorder (ADD) and Attention Deficit Hyperactivity Disorder.

Thimerosal was widely used since 1940 in over-the-counter medicines until that use was banned in 1998. It's still found in some vaccines for adults and infants.

Its inclusion in vaccines in the US sparked a series of Congressional hearings, which saw the US Government and the American Academy of Pediatrics call for its immediate withdrawal from all vaccine products.

system. That is not the natural port of entry for that virus. In fact, the whole immune system in our body is geared to prevent that from happening.

"What we're doing is giving the virus or the bacteria carte blanche entry into our bloodstream, which is the last place you want it to be. This increases the chance for disease because viral material from the vaccine stays in the cells and is not completely defeated by the body's own defences. You overload the body.

"The problem is, the medical profession and science do not know, and have never known what the infecting dose of an infection really is. It's not something that can be measured. It's not something they're really guessing at the amount of antigen and other supplementary chemicals that they put in the vaccine."

Vaccination is thus a questionable science. The evidence is clear when one analyses it in detail.

● THE clinical evidence for vaccinations is their ability to stimulate antibody production in the recipient. What is not clear, however, is whether or not such antibody production constitutes immunity.

The NYVIC raises a few pertinent points in this respect.

— Agammaglobulin-anaemic children are incapable of producing antibodies, yet they recover from infectious diseases almost as quickly as other children.

— A study published by the British Medical Council in 1950 during a diphtheria epidemic concluded that there was no relationship between antibody count and disease incidence; researchers found resistant people with extremely low antibody counts and sick people with high counts.

— Research also indicates that vaccination commits immune cells to the specific antigens (substances, like bacteria and viruses, recog-

In 1999 the US FDA revealed that some infants who receive multiple doses of vaccines containing thimerosal could be exposed to total amounts of mercury that exceed federal guidelines.

In the US before 1980, autism was diagnosed in 1 in 10,000 children. In 2002, the US National Institutes of Health raised that figure to 1 in 250 children.

— The Autism Society of America now estimates that autism dis-

orders are growing by 10% or more annually.

California's autism rate alone has mushroomed 1,000% over the past 20 years, with dramatic increases following the introduction of the MMR vaccine in the early 80s.

England had dramatic autism increases beginning in the 90s, following the introduction of the MMR vaccine there.

Scientists increasingly believe that mercury-laced vaccines are at the root of this spike.

In 1985, 4 of the

nised by our immune system as foreign) involve in the vaccine, rendering them incapable of reacting to other infections. Our immunologic reserve may thus actually be reduced, causing generally lowered resistance.

- ANOTHER component of immunisation theory is "herd immunity", which states that when enough people in a community are immunised, all are protected. But there are many documented instances showing just the opposite — fully vaccinated populations do contract disease with measles, this actually seems to be the direct result of high vaccination rates.

A Minnesota state epidemiologist concluded that the Hib vaccine increases the risk of illness when a study revealed that vaccinated children were 5 times more likely to contract meningitis than unvaccinated children.

- YET another surprising concern about immunisation practice is its assumption that all children, regardless of age, are virtually the same

An 8-pound 2-month-old receives the same dosage as a 40-pound 5-year-old. Infants with immature, undeveloped immune systems may receive 5 or more times the dosage (relative to body weight) as older children (Source: NYVIC).

In the US, "Hot Lots" — vaccine lots with disproportionately high death and disability rates — have been identified repeatedly by the NVIC, but the FDA refuses to intervene to prevent further unnecessary injury and deaths. In fact, they have never recalled a vaccine lot due to adverse reactions. Some would call this infanticide.

- VACCINATION practice also assumes that all recipients, regardless of race, culture, diet, geographic location, or any other circumstances, will respond the same. This was perhaps never more dramatically disproved than an instance a few years ago in Australia's Northern Territory, where stepped-up immunisation campaigns resulted in an incredible **50% infant mortality rate** in the native aborigines.

shots recommended for infants in their first 18 months contained thimerosal. By 1991, US CDC added 3 Hepatitis B shots (each containing 12.5 mcg of thimerosal) and 4 Hib shots (each with 25 mcg of mercury). As a result, the number of vaccines containing thimerosal jumped to 11, and the amount of mercury exposure mushroomed to 237.5 mcg, an amount that exceeded all federal limits.

According to Boyd Haley, chair of the

Barat doesn't need it

department of chemistry at the university of Kentucky and an expert on toxic metals, "thimerosal penetrates the proteins in the brain. It is toxic to neurons and enzymes."

Haley co-authored an August 2003 study that showed autistic children retained more mercury in their bodies than normal children, evidenced by higher levels of the toxin in their hair. That means the ethylmercury from thimerosal had been absorbed into their brain and other body

Almost as troubling was a very recent study in the *New England Journal of Medicine* which revealed that a substantial number of Romanian children were contracting polio from the vaccine, a less common phenomenon in most developed countries.

Correlations with injections of antibiotics were found: a single injection within 1 month of vaccination raised the risk of polio 8 times, 2-9 injections raised the risk 27-fold, and 10 or more injections raised the risk 182 times (*Washington Post*, February 22, 1995).

The above clearly show that many of the assumptions upon which immunisation theory and practice are based have been proven false in their application.

4. Vaccines can be contaminated. All childhood vaccines, apart from the Hepatitis B (which is genetically engineered and carries with it a different set of problems,) are cultured on either

animal tissue, a broth of animal and/or human blood and blood products, or the cell lines from aborted human fetuses.

None of these culturing methods is able to guarantee an uncontaminated vaccine. In fact, it is well known that many foreign viruses and bacteria can and do contaminate vaccines.

Almost none of these contaminants have been studied. The few which have been, leave many parents concerned about the long-term effects of injecting these substances into their children.

[For instance, SV 40 (Simian or monkey virus 40 — just one of 60 monkey viruses known to contaminate the polio vaccines) has been linked with cancers in humans.

And there is a chicken retrovirus, called Reverse Transcriptase, which contaminates the measles and mumps vaccines. This substance, an ancient non-human DNA code, is thought to switch on the HIV virus and cause it to become AIDS in humans. AIDS itself has been linked with

tissue, likely causing neurological damage.

According to a 2000 CDC-initiated study of thimerosal safety in vaccines, there is a statistically significant risk for neurological developmental disorders for babies at 3 months as the amount of thimerosal that babies received increase. Infants who got higher amounts of thimerosal in vaccines also had a 2.48 times greater risk of autism compared to infants who received thimerosal-free vaccines.

Thimerosal is also

linked to language, speech and developmental delays during the child's first 6 months.

Eli Lilly, inventor of thimerosal, was granted protection from lawsuits by parents of autistic children under a short-lived provision slipped into the US Homeland Security Act in November 2002.

But hundred of lawsuits now have been filed against it and other companies, including Merck, GlaxoSmithKline, Aventis Pasteur and

a virus called SIV (Simian Immunodeficiency Virus) which contaminated both the polio and smallpox vaccines.

The current MMR (measles, mumps and rubella) and other vaccines which contain bovine (cow) blood products are thought to be able to spread the human, and always fatal, form of mad cow disease, Creutzfeldt-Jacobs disease, more readily than eating contaminated meat.

In fact, through the years, contamination is a problem that has always plagued vaccine makers.

✓ DURING World War II a yellow fever vaccine manufactured with human blood serum was unknowingly contaminated with hepatitis virus and given to the US military. As a result, more than 50,000 cases of serum hepatitis broke out among American troops injected with the vaccine.

✓ IN the 1960s it was discovered that polio vaccines manufactured in monkey kidney tissue between 1955 and 1963 were contaminated with

a monkey virus (Simian Virus, number 40). Although this virus causes cancer in experimental animals, health authorities insist it does not cause problems in humans. But evidence of SV40 genetic material has been popping up in human cancers and normal tissue.

Researchers are now connecting SV40-contaminated polio vaccines to an increasing number of rare cancers of the lung (mesothelioma) and bone marrow (multiple myeloma).

In a 1999 report, SV40 DNA was detected in tissue samples from 4 children born after 1982. 3 were kidney transplant patients, and a fourth had a kidney tumour.

Could SV40 be passed on from parents to their children? No one knows for sure.

✓ **5. Vaccines can cause serious long-term side effects.**

ACCORDING to medical reports, children are

American Home Products, which have used thimerosal in children's vaccines.

An additional 4,000 claims are pending in the US federal Vaccine Injury Compensation Program.

Today, it is reported that vaccine makers have removed thimerosal from almost all childhood vaccines or created thimerosal-free alternatives. But some still have trace amounts, such as GlaxoSmithKline's Pediatix and its DtaP-Hepatitis B vaccine.

Aventis Pasteur manufactures 6 vaccines for adults using thimerosal, including tetanus and flu, each with 25 mcg of ethylmercury.

Merck's Hepatitis B for adults contains 25 mcg of ethylmercury.

now less healthy than they have ever been before. More than 40% of all children now suffer from chronic conditions, something unheard of prior to mass vaccination.

Vaccines have been associated with among others, asthma, eczema, juvenile rheumatoid arthritis, autism, chronic ear infections, insulin-dependent diabetes, Attention Deficit Disorder, ulcerative colitis, irritable bowel syndrome, hyperactivity, schizophrenia, multiple sclerosis, cancer and other autoimmune conditions which are becoming more and more common.

Viewed in the light of what vaccines contain this is not surprising. For example, nearly all vaccines contain not only mercury, but also aluminum. These metals have been linked with Alzheimer's Disease.

According to an expert at the 1997 International Vaccine Conference, a person who takes 5 or more annual flu vaccine shots has increased the likelihood of developing

Alzheimer's Disease by a factor of 10 over the person who has had 2 or fewer flu shots.

Evidence of vaccines' adverse reactions has been widely documented by many health experts.

For example:

- According to medical historian, researcher and author Harris Coulter, Ph.D., his extensive research revealed childhood immunisation to be "... causing a low-grade encephalitis in infants on a much wider scale than public health authorities were willing to admit, about 15-20% of all children."

He points out that the sequelae (conditions known to result from a disease) of encephalitis (inflammation of the brain, a known side effect of vaccination) — autism, learning disabilities, minimal and not-so-minimal brain damage, seizures, epilepsy, sleeping and eating disorders, sexual disorders, asthma, crib death, diabetes, obesity, and impulsive violence — are precisely the disorders which afflict contemporary society.

Plenty of \$\$\$, but Very Little Sense

IN America's money-driven vaccine campaign, the vaccine manufacturers use the government, doctors, and school officials to effectively market their products.

The FDA accepts safety data from the manufacturers and licenses vaccines used in the US. After licensing, the Advisory

Committee on Immunization Practices (ACIP), appointed by the CDC, makes recommendations on doses and ages for the use of these vaccines in children.

ACIP immunisation recommendations are extremely influential and are enacted into law as mandates by individual states.

Many members of both the ACIP and the FDA's advisory committees have recently been found by the Government Reform Committee to have bla-

Many of these conditions were formerly relatively rare, but they have become more common as childhood vaccination programmes have expanded.

Coulter also points out that "... pertussis toxoid is used to create encephalitis in lab animals".

- A German study found correlations between vaccinations and 22 neurological conditions, including attention deficit and epilepsy. The dilemma is that viral elements in vaccines may persist and mutate in the human body for years, with unknown consequences.

Millions of children are partaking in an enormous, crude experiment; and no sincere, organised effort is being made by the medical community to track the negative side-effects or to determine the long term consequences.

6. Vaccines can cause the diseases they are supposed to cure.

ALTHOUGH given to prevent disease, a vaccine can foster that very disease 5-10% of the time, some experts say.

In the US, people were told that polio has been wiped out since 1979. What they were not told is this: All recorded cases of polio since then were actually caused by the polio vaccine itself. It is reported that the vaccine causes every new case of polio in the US.

During 1962 US Congressional hearings, Dr Bernard Greenberg, head of the Department of Biostatistics in the University of North Carolina School of Public Health, testified that not only did the cases of polio increase substantially after mandatory vaccinations (50% increase from 1957-1958, 80% increase from 1958-1959), but that the statistics were manipulated by the Public Health Service to give the opposite impression.

7. Vaccines do not necessarily protect us from infectious diseases.

tant conflicts of interest, with strong financial ties to the pharmaceutical companies that make vaccines.

The Government Reform Committee has recently exposed these conflicts of interest, focusing on the approval of the rotavirus vaccine, which was found to cause severe bowel obstructions.

This vaccine was later pulled from the market. A substantial number of babies were injured and required surgery, and one baby

died from the vaccine. It was found that the FDA's advisory committee members that approved the rotavirus vaccine were aware of the problems but voted to approve it anyway.

3 out of these 5 members had financial ties to the pharmaceutical companies that were developing different versions of the rotavirus vaccine.

Now as more and more parents are beginning to mistrust vaccines, money is being spent to fund pro-vaccine organisations

FOR many years, parents were told that once a child was fully vaccinated, they would be protected for life. This has now turned into a series of lifelong boosters that are still not able to protect either children or adults from infectious diseases.

At best, the vaccines only provide temporary sensitisation to illnesses, and at worst, can make children more susceptible to infectious diseases.

In Australia, government statistics have shown that the majority of outbreaks there occur in those who have been either fully vaccinated or were too young to be fully vaccinated.

According to the *Australian Nurses Journal*: "A careful study of the decline in disease will show that up to 90% of the so-called 'killer diseases' had all but disappeared when we introduced immunisation on a large scale during the late 30s and early 40s."

A similar statement was made by the *Medical Journal of Australia*: "The decline of tetanus as a

disease began before the introduction of tetanus toxoid to the general population. The reasons for this decline are the same for the decline in all other infectious diseases: improved hygiene, improved sanitation, better nutrition, healthier living conditions, etc."

The truth is, many vaccinations fail to achieve their intended level of immunity and many cause horrible complications (including death) which one will have to suffer for the rest of their life.

The statistics on the abatement of childhood diseases before the period of mass immunisation are not well publicised, because they could tarnish the shining image of the vaccine as savior.

In the US, Alan Phillips, the founding director of Citizens for Health Care and Freedom, a North Carolina nonprofit corporation dedicated to raising awareness of vaccine issues and supporting the right to choose, also counters the notion that vaccines are responsible for the dramatic reduction in infectious disease during this and past

for public relations and damage control.

Vaccine "experts" are hired to manipulate public opinion by denying the severity of adverse reactions and reinforcing the belief that the benefits of vaccines outweigh the risks.]

Living Proof of Vaccine- Free Health

THE HOPE- WOOD

CHILDREN

— Australia's Healthiest Kids

IN 1942, Mr Leslie Owen Bailey, a great philanthropist and founder of the Natural Health Society of Australia, accepted guardianship of 85

centuries.

"According to the British Association for the Advancement of Science, childhood diseases decreased 90% between 1850 and 1940, paralleling improved sanitation and hygienic practices, well before mandatory vaccination programmes.

"Infectious disease deaths in the US and England declined steadily by an average of about 80% during this century (measles mortality declined over 97%) prior to vaccinations.

"In Great Britain, the polio epidemics peaked in 1950, and had declined 82% by the time the vaccine was introduced there in 1956.

"Thus, at best, vaccinations can be credited with only a small percentage of the overall decline in disease-related deaths this century. Yet even this small portion is questionable, as the rate of decline remained virtually the same after vaccines were introduced."

✓ **8. Vaccines are linked to disease epidemics.**

● ACCORDING to US vaccine investigator Neil Z. Miller, before mass vaccinations programmes began 50 years ago, the country did not have cancer in epidemic numbers, autoimmune ailments were barely known, and childhood autism did not exist.

● BARBARA Loe Fisher, president of the National Vaccine Information Centre, a consumer's group based in Virginia, USA, claims vaccines are responsible for the increasing numbers of children and adults who suffer from immune system and neurologic disorders, hyperactivity, learning disabilities, asthma, chronic fatigue syndrome, lupus, rheumatoid arthritis, multiple sclerosis, and seizure disorders.

And AIDS, unknown 2 decades ago, is now an increasing worldwide epidemic with millions of death predicted for the next decade.

Could vaccines contaminated with cancer-causing and immunosuppressive viruses unleash more new plagues?

children whose mothers were unable to care for them.

Raised in accordance with Natural Health principles, and cared for in the Hopewood House at Bowral, New South Wales, they were to become well known as the Hopewood children.

Many of these children were young babies, and because breastfeeding was not possible, they were reared on goat's milk. The older children were initially given

unpasteurised cow's milk, but due to mucous problems in some children, fresh fruit and vegetable juices were substituted.

From age 2 onwards, the diet of these children consisted of fresh fruit, root and green vegetables, salad, eggs, nuts, rice, porridge, wholemeal bread and biscuits, dried fruits, unsalted butter, lentils and soyabeans, etc.

Between meals, only fruit or fruit juices were allowed, and the

9. Vaccines are unreliable — they don't prevent disease, they prevent health.

VACCINATION history is riddled with documented instances of deceit designed to portray vaccines as mighty disease conquerors, when in fact many times they have actually delayed and even reversed disease declines. Evidence suggests that vaccination is an unreliable means of preventing disease.

- AFTER an extensive study of the medical literature on vaccination, Dr Viera Scheibner, retired Principal Research Scientist for the New South Wales Government, and author of 3 books and some 90 scientific papers in referred scientific journals, concluded that "there is no evidence whatsoever of the ability of vaccines to prevent any diseases. To the contrary, there is a great wealth of evidence that they cause serious side

effects."

IN the December 1994 *Medical Post*, Canadian author of the bestseller *Medical Mafia*, Guylaine Lanctot, M.D., stated, "The medical authorities keep lying. Vaccination has been a disaster on the immune system. It actually causes a lot of illnesses. We are actually changing our genetic code through vaccination ... 10 years from now we will know that the biggest crime against humanity was vaccines."

The medical literature has a surprising number of studies documenting vaccine failure. Measles, mumps, small pox, polio and Hib outbreaks have all occurred in vaccinated populations.

The US CDC itself has reported: "Among school-aged children, (measles) outbreaks have occurred in schools with vaccination levels of greater than 98%. (They) have occurred in all parts of the country, including areas that had not reported measles for years."

The CDC even reported a measles outbreak in

children were encouraged to drink plenty of water, which, coming from the local water supply was pure and fluoride free. Treats consisted of "Hopewood lollies" made from carob, coconut, dried fruits and honey.

The Child Welfare Department, who were overseeing the children's health insisted that the children be given meat, but when it was served to the children, they refused to eat it.

Nutritionists from

the Sydney University analysed the nutritional content of the Hopewood diet and the results showed adequate, even superior levels of protein, carbohydrate, fat and minerals in the food compared with orthodox diets.

After the results of these tests were made known, the Child Welfare Department no longer insisted that the children be fed meat.

It is noteworthy that amongst these 85 children, no serious illness ever occurred, no

a documented 100% vaccinated population.

A study examining this phenomenon concluded, "The apparent paradox is that as measles immunisation rates rise to high levels in a population, measles becomes a disease of immunised persons."

A more recent study found that measles "produces immune suppression which contributes to an increased susceptibility to other infections".

These studies suggest that the goal of complete immunisation is actually counterproductive, a notion underscored by instances in which epidemics followed complete immunisation of entire countries.

Japan experienced yearly increases in small pox following the introduction of compulsory vaccines in 1872. By 1892, there were 29,979 deaths, and all had been vaccinated.

In the early 90s, the Philippines experienced their worst smallpox epidemic ever after 8 million people received 24.5 million vaccine doses; the

death rate quadrupled as a result.

In 1989, Oman experienced a widespread polio outbreak 6 months after achieving complete vaccination.

In the US in 1986, 90% of 1,300 pertussis cases in Kansas were "adequately vaccinated". And 72% of pertussis cases in the 1993 Chicago outbreak were fully up to date with their vaccinations.

10. Adverse reactions are common with vaccines, yet doctors and health professionals rarely report it.

- IN the US, between 1991 and 1994, 38,787 adverse events were reported to the FDA's Vaccine Adverse Event Reporting System (VAERS).

Of these, 45% occurred on the day of vaccination, 20% on the following day, and 93% within

operative treatments were ever performed, no drugs of any kind were ever taken or used, and NO VACCINATIONS were ever given.

The only malady that occurred was when 34 of the children developed chicken pox. They were immediately put to bed and given only pure water or fresh fruit juice. They all recovered quickly without after-effects.

Investigations revealed that these children whilst at

school, had been swapping their healthy lunches for unhealthy conventional foods, so this outbreak was not altogether surprising.

In 1947, Dr N.E.

Goldsworthy, a medical doctor and head of the Institute of Dental Research in Sydney, wanted to investigate the dental health of the Hopewood children. Dr Goldsworthy and his team conducted an extensive survey of the children's teeth over a 10-year period.

This survey showed that the Hopewood

2 weeks of vaccination. Deaths were most prevalent in children 1-3 months old.

However, only 1/10th of vaccine-induced reactions are reported to the VAERS. This number vastly underestimates the real incidence of vaccine-associated complications.

The FDA admits that 90% or more of serious vaccine adverse events are not even reported. So any doctor who says that there is only 1 in a million chance of a child dying from vaccines is uninformed.

What's the real situation? The FDA's VAERS receives about 11,000 reports of serious adverse reactions to vaccination annually, some 1% (112+) of which are deaths from vaccine reactions.

This figure alone is alarming, yet it is only the "tip of the iceberg" since only about 10% of adverse reactions are reported.

The NVIC reported that: "In New York, only 1 out of 40 doctor's offices (2.5%) confirmed that

they report a death or injury following vaccination" — 97.5% of vaccine related deaths and disabilities go unreported there.

These findings suggest that in the US alone, vaccine deaths actually occurring each year may be well over 1,000.

● IN AUSTRALIA, the same phenomenon has also been noted. It is reported that less than 10% of all adverse reactions are ever reported.

"This means that the government's claims of vaccine safety are admittedly 90% correct," says the Australian Vaccination network, publisher of *Informed Choice*, a magazine on natural health, instinctive parenting and organic living.

"In addition (our) adverse reactions database currently contains details on more than 800 serious adverse vaccine reactions. Not one of these reactions was ever reported by the doctors or health professionals involved."

children had 16 times less decay than other Sydney children the same age. Where Sydney children had on average 3.5 decayed, missing or filled teeth per child there was only 0.52 in the Hopewood children.

To use Dr Goldsworthy's own words, the results were "little short of miraculous". The Hopewood children were credited with having the highest standard of dental health ever studied, even surpassing New

Guinea native children who were supposed to have the best teeth in the world.

The Australian medical profession also took an interest in the Hopewood children with Sir Lorimer Dodds and Dr D. Clements, Head of Child Nutrition at Sydney University, monitoring their health for over 9 years.

They examined both tonsils and adenoids and said they had never seen a group so free of trouble as the Hopewood children.

11. Doctors themselves avoid being vaccinated.

[IT is well known that many doctors refuse to vaccinate themselves and their families.

In the February 20, 1981 issue of the *Journal of the American Medical Association*, an article entitled, "Rubella Vaccine in Susceptible Hospital Employees, Poor Physician Participation" reports that the lowest vaccination rate among medical personnel for the German measles vaccine occurred among obstetrician/gynaecologists; and the next lowest rate occurred among paediatricians.

90% of obstetricians and 66% of paediatricians refused to take the rubella vaccine.]

The authors conclude, "The fear of unforeseen vaccination reactions was the main reason for the low uptake rate of physicians to be vaccinated."

This is another troubling area of concern. If vaccines are as safe and effective as medical sci-

ence says, then why are doctors not lining up for the shots? After all, doctors are exposed to infected patients every day. In fact, physicians belong to a high-risk category and are urged to accept vaccinations because of their continued exposure to infectious disease.

[In the *British Medical Journal*, an article entitled, "Attitudes of General Practitioners Towards their Vaccination against Hepatitis B" says that of 598 doctors questioned about Hepatitis B vaccine, 86% believe that all general practitioners should be vaccinated against Hepatitis B. Yet 309 of those practitioners **had not** been vaccinated themselves.]

This less than enthusiastic response by physicians is further noted in another *British Medical Journal* article on Hepatitis B vaccination and surgeons: "Infection with Hepatitis B virus is a serious hazard for health workers. Surgeons are particularly at risk with potentially devastating consequences to their well-being and a major threat to

Also, child psychologist, Zoe Benjamin, an expert of the day, spent time with the Hopewood children and expressed amazement at their independent personalities and contentment as a group.

Most remarkable of all was the fact that many of these children inherited poor health due to a history of illness and malnourishment in their mothers. Despite this, and the fact that they were never breastfed nor could enjoy the normal

bonding of mother to child, they were able to grow into sturdy, self-reliant children.

The Hopewood children serve as an inspiring example for all those parents who would like to raise their children naturally, and without drugs and vaccines. These children are testimony to the truth and validity of natural health — without chemicals.

their livelihood if they become carriers."

However, either surgeons do not take this threat seriously or realise that vaccinations do not offer protection, because the article goes on to say, "Despite good evidence of an increased risk of infection, a high percentage of surgeons in this study had not been immunised. Clearly, there is a failure by all surgeons to protect themselves and to insist that junior staff are protected."

12. Vaccination is more about profit than cure.

MANY of us assume that since vaccination is encouraged by the authorities, vaccines must be safe and effective. The truth is, in most countries, the government relies on information from the manufacturers on vaccine safety and effectiveness.

The problem is, pharmaceutical companies have paid for almost all vaccine research to date.

Companies are basically commercial concerns motivated by profit. Like what the tobacco companies have done, vested interests may induce vaccine makers to produce corrupt and incorrect findings.

According to immunologist John B. Classen, M.D., M.B.A., "Studies used to support immunisation are so flawed that it is impossible to say if immunisation provides a net benefit to anyone or to society in general."

"This question can only be determined by proper studies, which have never been performed. The flaw of previous studies is that there was no long-term follow up and chronic toxicity was not looked at.

"The American Society of Microbiology (also) acknowledges the need for proper studies."

Aggressive and comprehensive scientific investigation is clearly warranted, yet immunisation programmes continue to expand in the absence of such research.

TIPS FOR PARENTS **Some Childhood Illnesses are Beneficial**

"VACCINATED children commonly exhibit a deranged response by developing ... measles, mumps, and possibly many other ... manifestations of the diseases targeted by vaccines. It is far better ... to allow the natural processes to proceed without

harmful interference ...

"Vaccination, by introducing viruses directly into the bloodstream (thereby bypassing initial entry through the protective lymph nodes, thymus and spleen systems), far from preventing diseases, actually pushes the disease into a chronic form and deeper into the body where it then attacks vital organs.

"The results of suppressing measles and other infections in this manner are cancer and other autoimmune and

The manufacture of vaccines is a giant industry and what you pay for — inoculations and doctor visits — is big business for paediatricians and vaccine manufacturers.

In Australia, it is reported that doctors are currently receiving several payments from the government to push vaccines. The payments can add up to many tens of thousands of dollars in a busy practice.

This grossly unethical situation shows that doctors may not be objective when it comes to vaccination.

Because every healthcare system and government is a potential buyer of vaccines, countless millions of dollars are spent nurturing the growing multi-billion dollar vaccine industry.

Manufacturer profits are guaranteed, while accountability for the negative effects is conspicuously absent.

TOXIC CHEMICAL OVERLOAD!

"A SINGLE vaccine given to a 6-pound newborn is the equivalent of giving a 180-pound adult 30 vaccinations on the same day. Include in this the toxic effects of high levels of aluminum and formaldehyde contained in some vaccines, and the synergist toxicity could be increased to unknown levels.

"Further, it is very well known that infants do not produce significant levels of bile or have adult renal capacity for several months after birth. Biliary transport is the major biochemical route by which mercury is removed from the body, and infants can-

chronic diseases."
— Viera Scheibner,
Ph.D. in Vaccination:
100 Years of Orthodox
Research Shows that
Vaccines Represent a
Medical Assault on the
Immune System

SOME childhood illnesses have beneficial aspects and therefore, prevention may not necessarily be in the best interests of the child.

Measles, for example, has been used in Scandinavian countries to successfully treat

such autoimmune conditions as eczema. And many studies have shown that children who do not contract measles naturally as a child are more likely to suffer from certain cancers later in life.

In addition, recent studies have shown that contracting the common childhood illnesses help to prime and strengthen the immune system in a way that vaccinations just cannot do.

This priming means that children are much less likely to suffer from

not do this very well.

"They also do not possess the renal (kidney) capacity to remove aluminum. Additionally, mercury is a well-known inhibitor of kidney function."

— **Boyd Haley Ph.D.**, Professor and Chairman of the Department of Chemistry, University of Kentucky

IN the US, it is now compulsory in many states for children to have as many as 33 inoculations before entering school, with some of these given as early as the first few weeks of life. By age 16, an American child would have received 40 vaccines.

In fact, the number of compulsory vaccine injections there has increased from 10 to 36 in the last 25 years. During this period, there has been a simultaneous increase in the number of

children suffering learning disabilities and attention deficit disorder.

American parents are more than worried because the US Public Health Service and the American Academy of Pediatrics have found that some children could be exposed to cumulative levels of mercury over the first 6 months of life that exceed federal guidelines.

It is reported that by age 2, American children have received 237 micrograms (mcg) of mercury through vaccines. This far exceeds the US Environmental Protection Agency's safe level of 1/10th of 1 mcg per kilogram a day. 35 mcg will kill a rabbit. The amount of mercury that babies are getting is equivalent to injecting a 100-pound adult with 40 vaccines in one day!

American findings show that Hepatitis B has 12 mcg of mercury (30 times the safe level), DtaP and Hib (50 mcg of mercury — 60 times the safe level) and Hepatitis B and Polio (62.5 mcg of mercury — 78 times the safe level).

the now common allergic and autoimmune conditions (eg: asthma, diabetes and cancer) that plague them today.

In addition, vaccinated mothers cannot confer passive immunity to their children even if they have contracted the wild form of the disease. This immunity used to protect all children during their vulnerable first months and years.

Now, a vaccinated mother will give birth to a child who will be susceptible to these infections when, prior to vac-

cines, they would normally have been immune.

Natural immunisation is a complex phenomenon involving many organs and systems; it cannot be fully replicated by the artificial stimulation of antibody production.

As Jamie Murphy, author of *What Every Parent Should Know About Immunization*, explains: "When a child gets a naturally occurring infection, like measles, which is not a serious disease, the body reacts to that in a

Yet vaccines continue to be created and made mandatory for people.

According to the US NVIC (National Vaccine Information Center), there are over 250 new vaccines being developed for everything from earaches to birth control to diarrhoea, with about 100 of these already in clinical trials.

Reports say that researchers are working on vaccine delivery through mosquitoes (yes, mosquitoes), and the fruits of "transgenic" plants in which vaccine viruses are grown.

In the US, it was reported in June 2003 that a new flu vaccine called FluMist, which is administered as a nose spray rather than an injection, has been approved by the FDA for use in healthy people aged 5 to 49 and was scheduled to be available for consumers by November.

Sales for FluMist were estimated to eventually reach US\$1 billion (about RM3.8 billion) a year.

Users of the new vaccine will avoid injecting themselves with ethylene glycol, phenol,

formaldehyde, aluminium and mercury (ingredients of traditional flu shots).

But FluMist has other risks. While the injected vaccine contains a dead virus, FluMist contains a live but diluted virus that could pose a health risk to people with weakened immune systems.

The danger is that, it is those people with compromised immune systems who are likely to get the flu.

A MAN-MADE ^{full meaning} ILLNESS

VACCINES may cause illnesses because they depress our immune functions, clog our lymph nodes, and cause the body to not recognise its own cells as self (the beginning of autoimmune disease).

Let's look at why vaccines cause these problems. First, disease does not strike from without, but occurs when our body allows germs to

very set way. The germs go in a certain part of the body through the throat and into the different immune organs, and the body combats the disease in its own natural way.

"There are all sorts of immune reactions that occur. Inflammatory response reactions, macrophages, and different kinds of white blood cells are used to combat the virus. You also cough and sneeze and get rid of the virus that way."

Most of the time, childhood infectious dis-

eases are benign and self-limiting. They also may impart lifelong immunity, whereas vaccine-induced immunity is only temporary.

Vaccines are less efficient than the body's own immunisation processes. Vaccines, unlike childhood diseases, do not produce permanent immunity, Murphy points out.

"The medical profession does not know how long vaccine immunity lasts because it is artificial immunity. If you get measles naturally, in 99% of the

change and grow as a result of an altered internal environment of the cells.

Acid conditions allow pathogens to grow and develop, while alkaline, highly oxygenated, conditions will not allow pathogenic germs to proliferate. Yes, germs may cause a specific disease, but only if they have the right "soil" on which to "grow".

Second, it is poor nutrition and depressed immune function, coupled with toxins, which create the conditions for pathogenic germs to proliferate. Therefore, good nutrition is needed to boost the immune system, to supply oxygen to the cells, to help eliminate the toxins and to prevent pathogenic germs from growing.

Third, not all germs are bad. There are many "good germs" which live within our bowels. They provide us with vitamins, eliminate harmful bacteria, and help to eliminate toxic substances. So not all germs are bad and the good ones help protect us from the bad ones. It is only when the good

germs become over-populated by the bad ones that we get sick.

Finally, vaccine programmes serve to keep many disease-causing pathogenic organisms alive and vital within our body. Jonas Salk, the developer of the polio vaccine, said that all cases of polio after 1977 were the result of the vaccine and not the natural disease.

The main reason that vaccines are damaging to our bodies is that they are unnaturally introduced into our "pure" bloodstream. Nature never intended for germs to flow directly into our bloodstream without passing several immunologic barriers and mechanisms for their inactivation and removal, namely the respiratory mucosae, lymphocytes, macrophages, and destructive enzymes in our tissues which help to eliminate pathogens.

If a person with a cold virus sneezes on us, our skin and mucosae act as a barrier preventing the germ's entrance. If the virus penetrates the

cases you have lifelong immunity. If you have German measles you will have lifelong immunity. The chances of getting measles twice, German measles twice, or even whooping cough twice are so remote, it's unbelievable."

In fact, the temporary nature of vaccine immunity can create a more dangerous situation in a child's future. For example, in the mid-90s a new chicken pox vaccine licensed and recommended by the US health authori-

ties was found to have an "effectiveness" estimated at 6-10 years.

If effective, it will postpone the child's vulnerability until adulthood, when death from the disease is 20 times more likely.

In the US about half of measles cases in the late 1980s resurgence were in adolescents and adults, most of whom were vaccinated as children, and the recommended booster shots may provide protection for less than 6 months.

Furthermore, some

mucosae, our white blood cells will attack, kill, and eliminate it.

— **Dr Ted H. Spence, DDS, ND, PhD/DSc, MH** in the article. "The role of man made illness — vaccines".

When Vaccination was Stopped...

HYGIENE and sanitation, not necessarily vaccination, have had enormous influences on the course of smallpox, and nearly every infectious illness. As more and more countries realise this, there has been a growing international movement away from mass mandatory immunisation.

In her book, *Vaccination: 100 Years of Orthodox Research Shows that Vaccines Represent a Medical Assault on the Immune*

System, Viera Scheibner, Ph.D. revealed the following:

- "25,000 ... American babies succumb to cot deaths (crib death or sudden infant death) each year ... Vaccination is the single biggest cause of cot death ... When JAPAN moved the vaccination age to 2 years, the cot death entity disappeared in that country (Cherry, et al, 1988)."

- "SWEDEN stopped administering the whooping cough vaccination in 1979 because ... epidemics of whooping cough were occurring in fully vaccinated children ... Not only did whooping cough become a mild disease with no deaths, but the age of incidence of whooping cough returned to normal clearly indicating that the vaccine was actually spreading the disease within the most vulnerable age group."

- In 1975, GERMANY stopped requiring pertussis vaccinations, and the number of children with the disease promptly began to drop. In 2000, it had dropped to well below 10%.

healthcare professionals are concerned that the virus from the chicken pox vaccine may "reactivate later in life in the form of herpes zoster (shingles) or other immune system disorders".

The fact is, most infectious diseases are rarely dangerous. In fact, they can actually play a vital role in the development of a strong, healthy immune system. Persons who have not had measles have a higher incidence of certain skin diseases, degenerative

diseases of bone and cartilage, and certain tumours, while absence of mumps has been linked to higher risks of ovarian cancer.

The same applies to diseases in children. Even conservative US CDC statistics for pertussis during 1992-94 indicate a 99.8% recovery rate. In fact, when hundreds of pertussis cases occurred in Ohio and Chicago in the fall 1993 outbreak, an infectious disease expert from Cincinnati Children's Hospital said, "The disease was

Doctors & Scientists Against Vaccination

- "THERE is a great deal of evidence to prove that immunisation of children does more harm than good." — **Dr J Anthony Morris**, former Chief Vaccine Control Officer, US Food and Drug Administration
- "THE greatest threat of childhood disease lies in the dangerous and ineffectual efforts made to prevent them through mass immunisation." — **Dr R. Mendelsohn**, Author and Professor of *Paediatrics (How To Raise A Healthy Child In Spite Of Your Doctor)*
- "IN our opinion, there is now sufficient evidence of immune malfunction following current vaccination programmes to anticipate growing public demands for research investigation into alternative methods

of prevention of infectious disease." — Drs H. Buttram and J. Hoffman in *Vaccinations and Immune Malfunctions*

- "ALL vaccination has the effect of directing the 3 values of the blood into or toward the zone characteristics of cancer and leukemia ... Vaccines DO predispose (us) to cancer and leukaemia." — **Professor L.C. Vincent**, Founder of Bioelectronics
- "EVERY vaccine carries certain hazards and can produce inward reactions in some people ... in general, there are more vaccine complications than is generally appreciated." — **Professor George Dick**, London University
- "OFFICIAL data have shown that the large-scale vaccinations undertaken in the US have failed to obtain any significant improvement of the diseases against which they were supposed to provide protection." — **Dr A. Sabin**, developer of the Oral

very mild, no one died, and no one went to the intensive care unit."

The truth is, dangers of childhood diseases are greatly exaggerated in order to scare parents into compliance with a questionable but profitable procedure.

What Parents Can Do

"VACCINES represent consumer goods — and parents should research this prod-

uct far more carefully than other purchases because their children's lives could be at stake."

— Randall Neustaedter, OMD in *The Vaccine Guide: Making An Informed Choice*

THE vaccine decision is one of the most important choices you can make as parents. In the interests of your child, it is important that you make an informed choice — based on all

Polio vaccine, in a lecture to Italian doctors in Piacenza, Italy, 7 December 1985

- "IN addition to the many obvious cases of mortality from these practices, there are also long-term hazards which are almost impossible to estimate accurately ... the inherent danger of all vaccine procedures should be a deterrent to their unnecessary or unjustifiable use." — **Sir Graham Wilson** in *The Hazards of Immunisation*

- "LAYING aside the very real possibility that the various vaccines are contaminated with animal viruses and may cause serious illness later in life (multiple sclerosis, cancer, leukaemia, etc) we must consider whether the vaccines really work for their intended purpose." — **Dr W.C. Douglas** in *Cutting Edge* (May 1990)

- "THE only wholly safe vaccine is a vaccine that is never used." — **Dr James A. Shannon**, National

Institute of Health, USA

With reference to Smallpox:

- "VACCINATION is a monstrosity, a misbegotten offspring of error and ignorance, it should have no place in either hygiene or medicine ... Believe not in vaccination, it is a worldwide delusion, an unscientific practice, a fatal superstition with consequences measured today by tears and sorrow without end." — **Professor Chas Rauta**, University of Perugia, Italy in *New York Medical Journal* (July 1899)

- "VACCINATION does not protect, it actually renders its subjects more susceptible by depressing vital power and diminishing natural resistance, and millions of people have died of smallpox which they contracted after being vaccinated." — **Dr J.W. Hodge** in *The Vaccination Superstition*

- "IT is nonsense to think that you can inject pus

the hidden evidence. However, in questioning vaccines, you open yourself up to a great deal of criticism, disapproval and accusations of child neglect from doctors, school administrators, public health officials, even family members and other parents.

If you choose to vaccinate, take the following safety precautions and know the following things.

✓ 3 Basic Rules

- Get individual vaccines separately

instead of in combination with other vaccines.

- Don't let your children be vaccinated for more than 1 disease on the same day.

- Don't allow your children to be vaccinated when they are sick or recovering from an illness.

Children at Higher Risk of Reacting

- Child with prior vaccine reaction

- Child who has had a sibling or family member react to a vaccine

— and it is usually from the pustule end of the dead smallpox victim — it is unthinkable that you can inject that into a little child and in any way improve its health.

“What is true of vaccination is exactly as true of all forms of serum immunisation, if we could by any means build up a natural resistance to disease through these artificial means, I would applaud it to the echo, but we can't do it.” — **Dr William Howard Hay**, in a lecture to Medical Freedom Society (25 June 1937)

- “IMMUNISATION against smallpox is more hazardous than the disease itself.” — **Professor Ari Zuckerman**, World Health Organisation

With reference to Whooping Cough:

- “THERE is no doubt in my mind that in the UK alone some hundreds, if not thousands of well infants have suffered irreparable brain damage

needlessly and that their lives and those of their parents have been wrecked in consequence” — **Professor Gordon Stewart**, University of Glasgow, in *Here's Health* (March 1980)

- “MY suspicion, which is shared by others in my profession, is that the nearly 10,000 SIDS deaths that occur in the US each year are related to one or more of the vaccines that are routinely given to children. The pertussis (whooping cough) vaccine is the most likely villain, but it could also be one or more of the others.” — **Dr R Mendelsohn**, Author and Professor of *Paediatrics (How To Raise A Healthy Child In Spite Of Your Doctor)*

- “THE worst vaccine of all is the whooping cough vaccine ... it is responsible for a lot of deaths and for a lot of infants suffering irreversible brain damage ...” — **Dr Archie Kalokerinos**, Author and Vaccine Researcher, at the Natural Health Convention, Stanwell Tops, NSW, Australia (1987)

- A personal or family history of convulsions or neurological disorders, immune system disorders, allergies, eczema, asthma, or allergy to cow's milk

- Child is ill with anything, including a runny nose, ear infection, diarrhoea, etc, or has recovered from an illness within 1 month prior to vaccination

- Child was born prematurely or with low birth weight

- Child has had cerebral irritation in the neonatal period (some examples include head

trauma at birth from difficult delivery, meningitis, high-pitched screaming with arching of back, etc).

Source: *Concerned Parents for Vaccine Safety*

With reference to Polio:

- "MANY here voice a silent view that the Salk and Sabin polio vaccine, being made of monkey kidney tissue has been directly responsible for the major increase in leukaemia in this country." — **Dr F. Klenner**, Polio Researcher, USA
- "NO batch of vaccine can be proved to be safe before it is given to children." — Surgeon-General **Leonard Scheele** at the AMA Convention, USA (1955)
- "LIVE virus vaccines against influenza and paralytic polio, for example, may in each instance cause the disease it is intended to prevent..." — **Dr Jonas Salk**, developer of the first polio vaccine, *Science* (4/4/77 Abstracts)

Source: *Vaccination Debate*

VACCINES DID NOT SAVE US



THE graphs (taken from the *Official Year Books of the Commonwealth of Australia*) shown in the following pages showed that the death rates from many infectious diseases in Australia were on the decline even before vaccinations were introduced. This shows that vaccination had nothing to do with the declining death rates. There are similar evidences shown in other countries. Diseases which had no or little widespread vaccination also experienced the same declines in death rates.

Dr Andrew Weil in *Health and Healing* offers the true reasons for this decline:





"Scientific medicine has taken credit it does not deserve for some advances in health. Most people believe that victory over the infectious diseases of the last century came with the invention of immunisations. In fact, cholera, typhoid, tetanus, diphtheria and whooping

cough, etc, were in decline before vaccines for them became available — the result of better methods of sewage disposal, and distribution of food and water.”


GRAPHS BELOW:
Declining death rates from infectious diseases with no or little widespread vaccination.




Hidden Dangers of Vaccines
[FACEBOOK.com/BhaiRajivDixit](https://www.facebook.com/BhaiRajivDixit)



Other CAP Guides Available



- Medical errors may be the No. 2 killer in Malaysia
- The real causes of medical errors
- Common medical errors
- Higher risk of death than in a plane crash!
- Who's at higher risk?
- Unnecessary tests and operations
- Be an informed patient
- Doctors DON'T always know best
- What can you do?



- Unproven safety
- Health risks
- Routine use of no benefit
- Avoid unnecessary exposure
- Inaccurate, not beneficial and unjustified use
- Cannot trace abnormalities
- No strict equipment-safety standards
- Unskilled operators

Hidden Dangers of Vaccines
[FACEBOOK.com/BhaiRajivDixit](https://www.facebook.com/BhaiRajivDixit)

Most of us have heard of vaccines. But what we usually know is the medically promoted side of vaccines. In this guide, we show you what are the possible side-effects of vaccines, what toxic ingredients are found in them, and how the medical establishment claims credit for the decline in deaths from infectious diseases that is really attributed to better sanitation, nutrition and water supply.

- What You Should Know about Vaccines
- The Secret Ingredients in Vaccines
- Dangers of Some Vaccine Ingredients
- Vaccine Injuries
- How Your Body Responds to Vaccines
- Toxic Chemical Overload from Vaccines
- Mercury and Autism
- 12 Reasons to Be Concerned
- Vaccines Did Not Save Us

TIPS FOR PARENTS

- Some Childhood Illnesses are Beneficial
- What Parents Can Do

Published by
Consumers Association
of Penang
10 Jalan Masjid Negeri,
11600 Pulau Pinang
Tel: 04-8299511



MAX. RETAIL PRICE
INCL. OF ALL TAXES

ISBN 983-104-192-5



9 789831 041925

Printed by Jutaprint, Penang

Hidden Dangers of Vaccines
FACEBOOK.com/BhaiRajivDixit